



Warning

Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see First Aid below or label). If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Take off contaminated clothing and wash before reuse. Store locked up. Dispose of contents/container in

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Do not handle until all safety precautions have been read and understood. Use eye, face, and rubber glove protection when handling these contents. Do not store at temperatures above 120°F. Do not allow to freeze. See side panel for additional precautions.

Consult S.D.S. for additional safety information.

For further Medical Emergency Information call 1-800-255-3924.

Sold Exclusively By: **K-Chem, Inc.**

P.O. Box 530632 • Birmingham, Alabama 35253-0632
For Reorder Phone: (205) 592-0844 Fax: (205) 592-8106



K-Chem 500 Plus

DISSOLVES: WAX, INKS, OILS, DYES, DIRT, GREASE, CARBON

CLEAN FLOORS, WALLS, UNPAINTED METAL SURFACES, ENGINES, MACHINERY, TRUCKS, CARS, WHITEWALLS, HOODS, VENTS, GRILLS, OVENS, FANS, PLASTIC, UPHOLSTERY AND MANY OTHER USES

DIRECTIONS:

FOR FLOORS:

Cleaning: Dilute 1 part K-CHEM 500 with 10 to 20 parts water and scrub floor in usual manner. Rinse floor thoroughly.

Stripping: Dilute 1 part K-CHEM 500 with 5 parts hot water and apply to floor. Allow solution to remain on surface approximately 5 minutes, then scrub with floor machine. Rinse with warm water (**CAUTION: Do NOT apply K-CHEM 500 undiluted to floors.**)

Terrazzo and Ceramic Tile: Cleaning — Dilute 1 part K-CHEM 500 with 10-40 parts of hot water. Scrub floors in usual manner. Rinse.

Concrete: Cleaning — Dilute 1 part K-CHEM 500 with 5 to 20 parts water, depending upon soil. Scrub thoroughly and rinse.

For Automatic Scrubbing Machines: Use 3 oz. of K-CHEM 500 per gallon of water for general cleaning. For heavy-duty cleaning, degreasing of concrete and floor stripping, use 6 oz. of K-CHEM 500 per gallon of water.

FOR INDUSTRIAL:

For Use In Steam Cleaning Machine: Dilute 1 part K-CHEM 500 with 10 to 30 parts water, depending upon degree of soil.

For Cleaning Unpainted Machinery and Equipment:

Tool and die stamping machinery, newspaper presses, linotype machines, boxing equipment, and the like. Dilute 1 part K-CHEM 500 with 1 to 5 parts water, depending upon degree of soil. Apply by spraying, wiping or brushing. (Dilution with hot water will increase cleaning power of K-CHEM 500). Allow solution to soak on machinery

for two or three minutes and then wipe dry with clean cloth or rinse with water,

FOR AUTOMOTIVE:

Plastic and Vinyl Upholstery: Dilute 1 part K-CHEM 500 with 3 to 10 parts water, wipe or spray on surface to be cleaned, allow to remain a few seconds, then rinse off with a clean cloth.

For Degreasing Automotive Engines, Classics, Etc.:

Dilute 1 part K-CHEM 500 with 3 to 5 parts hot water. For very greasy surfaces, allow to soak 15 to 20 minutes before rinsing with a stream of water.

Whitewall Tires: Dilute 1 part K-CHEM 500 with 1 to 5 parts water, depending upon degree of soil. Spray solution on tire and allow to remain on surface approximately one minute. Rinse with a stream of water. Stubborn spots may need brushing.

Convertible and Vinyl Tops: Dilute 1 part K-CHEM 500 with 1 to 5 parts water, apply with a brush. Rinse thoroughly with water.

Inhibited: Will not harm metal surfaces, including aluminum, when used as directed.

NOTE: High concentrates of K-CHEM 500 can attack porous surfaces and etch aluminum. Test on an inconspicuous area before using, or use weaker dilution ratios. **ALWAYS RINSE AFTER USE.**

DO NOT allow over-spray to dry on glass surfaces. Immediately rinse to remove any stubborn residue.

Biodegradable: All detergents and wetting agents are completely biodegradable.

Product number 22680

**NA1760, COMPOUND, CLEANING, LIQUID
(containing Sodium Hydroxide), 8, PG II**