## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : LU70A FREE-EZE PEN LUBE 16net9

Material number : LU70A

Manufacturer or supplier's details

Company : K-Chem, Inc.

Address : P. O. Box 530632

Birmingham, AL 35253

Telephone : 205-592-0844

**Emergency telephone numbers** 

For a Transportation : CHEMTEL: 800-255-3924 - All Calls Recorded.

**Emergency** 

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	solvent-like

#### **GHS Classification**

Gases under pressure : Liquefied gas Carcinogenicity : Category 2

**GHS Label element** 

Hazard pictograms :



Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may explode if heated.

H351 Suspected of causing cancer.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention. **Storage:** 

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated

place. **Disposal:** 

P501 Dispose of contents/container in accordance with local

regulation.

#### **Potential Health Effects**

Carcinogenicity:

IARC Group 2B: Possibly carcinogenic to humans

4-methylpentan-2-one 108-10-1

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

4-methylpentan-2-one 108-10-1

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Chemical Name	CAS-No.	Concentration [%]
1,1-difluoroethane	75-37-6	>= 70 -< 90
4-methylpentan-2-one	108-10-1	>= 1 -< 5
oleic acid	112-80-1	>= 1 -< 5

### **SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

If on clothes, remove clothes.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eve wide open while rinsing.

If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.

# **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Foam Dry powder

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Fluorine compounds

Silicon oxides

Specific extinguishing

methods

•

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation.

Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Remove all sources of ignition.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects. Keep in a dry place.

Observe label precautions. Keep in a well-ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Oxidizing agents

Store and keep away from bases and alkalies.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
4-methylpentan-2-one	108-10-1	TWA	20 ppm	ACGIH
		STEL	75 ppm	ACGIH
		TWA	50 ppm 205 mg/m3	NIOSH REL
		ST	75 ppm 300 mg/m3	NIOSH REL
		TWA	100 ppm 410 mg/m3	OSHA Z-1
		TWA	50 ppm 205 mg/m3	OSHA P0
		STEL	75 ppm 300 mg/m3	OSHA P0

#### Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
4-METHYLPENTAN-2-	108-10-1	MIBK	Urine	End of	1 mg/l	ACGIH BEI
ONE				shift (As		
				soon as		
				possible		
				after		

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0	R	Revision Date 02/13/2015		Print Date 06/11/2015	
			exposu	re l	 
			ceases	s)	

#### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : colourless
Odour : solvent-like

Odour Threshold : no data available
pH : not applicable
Melting point/freezing point : no data available
Boiling point : no data available

Flash point

no data available

Evaporation rate : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Density : 0.91 g/cm3

Solubility(ies)

Water solubility : negligible

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : not determined
Thermal decomposition : no data available

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

Viscosity

Viscosity, kinematic : no data available

Heat of combustion : 10.08 kJ/g

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Bases

Alkaline earth metals

Hazardous decomposition

products

: Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

### **Product:**

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

## **Components:**

1,1-difluoroethane:

Acute inhalation toxicity : LC50 mouse: 977,000 mg/l

Exposure time: 2 h

#### Skin corrosion/irritation

## **Product:**

Remarks: May cause skin irritation and/or dermatitis.

## Serious eye damage/eye irritation

### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### Respiratory or skin sensitisation

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

1,1-difluoroethane: 4-methylpentan-2one: oleic acid:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

**Aspiration toxicity** 

no data available

**Further information** 

**Product:** 

Remarks: no data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

no data available

Persistence and degradability

no data available

**Bioaccumulative potential** 

**Product:** 

Partition coefficient: n-

octanol/water

: Remarks: no data available

Mobility in soil

no data available

Other adverse effects

no data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

## **LU70A FREE-EZE PEN LUBE 16net9**

 Version 1.0
 Revision Date 02/13/2015
 Print Date 06/11/2015

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to

aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

#### **SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act** 

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4-methylpentan-2-one	108-10-1	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

4-methylpentan-2-one 108-10-1 4.776 %

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

4-methylpentan-2-one 108-10-1

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

**DSL** This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS
Not in compliance with the inventory
NZIOC
Not in compliance with the inventory
PICCS
Not in compliance with the inventory
IECSC
Not in compliance with the inventory

## **Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)


### **SECTION 16. OTHER INFORMATION**

## **LU70A FREE-EZE PEN LUBE 16net9**

Version 1.0 Revision Date 02/13/2015 Print Date 06/11/2015

### **Further information**

### NFPA:



Special hazard.

### HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### **OSHA GHS Label Information:**

Hazard pictograms





Signal w ord Hazard statements Precautionary statements Warning:

Contains gas under pressure; may explode if heated. Suspected of causing cancer.

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Response: IF exposed or concerned: Get medical advice/ attention.

**Storage:** Store locked up. Protect from sunlight. Store in a w ell-ventilated place. **Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.