K-Chem 2002 Safety Solvent

Section 1 Identification

Trade Name: K-Chem 2002 Safety Solvent

Product Identification: SO100A

Synonyms: N-Propyl Bromide

Product Use Description:

Solvent Cleaner

General Info Phone: (205) 592-0844 Emergency Phone: (800) 255-3924

Supplier:

K-Chem, Inc. P. O. Box 530632 Birmingham, AL 35253

Section 2 Hazards Identification

Classifications

Specific Target Organ Toxicity (repeated exposure) - Category 2

Toxic to Reproduction - Category 1B

Skin Irritation - Category 2

Eye Irritation - Category 2

Specific Target Organ Toxicity (single exposure) - Category 3

Gasses under pressure - Compressed gas



Irritant

Danger



Heatlh Hazard

Compressed Gas
Signal Word:

Hazard Statements

Keep out of reach of children.

Read label and SDS before use.

Contains gas under pressure; may explode if heated.

May damage fertility or the unborn child.

May cause damage to organs (liver) through prolonged or repeated exposure.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Causes skin irritation

Causes serious eye irritation.

Precautionary Statements

Prevention

Obtain special instructions before use.

Do not breathe mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Pressurized container: Do not pierce or burn, even after use.

Wash hands and face thoroughly after handling.

Wear protective gloves, clothing, and eye protection.

Response

IF SWALLOWED: Immediately call a poison center or a doctor. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs get medical attention.

Take off contaminated clothing and wash before reuse.

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 1 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015

K-Chem 2002 Safety Solvent

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a poison center or a doctor if you feel unwell.

If EXPOSED or CONCERNED: Get medical attention.

Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Store locked up.

Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

Hazards Not Otherwise Specified

Not applicable

Section 3 Composition

		<u>Concentration</u>
Chemical Name	<u>CAS #</u>	% by Weight
N-Propyl Bromide	106-94-5	>=95 <= 99
Carbon Dioxide	124-38-9	>=1 <= 5

Section 4 First Aid

EMERGENCY OVERVIEW

DANGER. Contents under pressure. Harmful or fatal if swallowed. Vapor harmful. Keep away from heat and flame. Can cause nervous system depression.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel

INGESTION: May be harmful or fatal if swallowed. Seek medical attention immediately.

Section 5 Fire Fighting Measures

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 2 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015

K-Chem 2002 Safety Solvent

Suitable fire extinguishing media:

Use water spray, fog or foam.

Specific hazards arising from the chemical:

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

Hazardous thermal decomposition products:

Hydrogen Chloride, Carbon Dioxide, Carbon Monoxide

Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6 Accidental Release Measures

Personal precautions:

Put on appropriate personal protective equipment (see section 8)

Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

Section 7 Handling and Storage

Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

Section 8 Exposure Controls/Personal Protection

Carbon Dioxide

ACGIH TLV 800 ppm

N-Propyl Bromide

ACGIH TLV 0.5 mg/m3

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 3 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015

K-Chem 2002 Safety Solvent

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program

thatmeets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

Engineering Controls: Good general ventilation required.

Section 9 Physical and Chemical Properties

<u>Property</u>	<u>Value</u>		
Appearance	CLEAR SPRAY/MIST	Auto Ignition Temp	NOT AVAILABLE
Boiling Point	NOT AVAILABLE	Color	COLORLESS
Decomposition Temperature	NOT AVAILABLE	Evaporation Rate	NOT AVAILABLE
Explosive Limit Ranges	NOT AVAILABLE	Explosive Properties	NOT AVAILABLE
Flash Point	NONE	Melting/Freezing Point	NOT AVAILABLE
Odor	SOLVENT	Odor Threshold	NOT AVAILABLE
Other Information	VOC content (wt. %): 98	Oxidizing Properties	NOT AVAILABLE
Partition Coeff	NOT AVAILABLE	Physical State	LIQUID
Relative Density	1.33	Solubility (Water)	INSOLUBLE
Vapor Density	4.3 (air=1)	Vapor Pressure	139 mm Hg @ 77 F
Viscosity	NOT AVAILABLE	рН	NOT APPLICABLE

Section 10 Stability and Reactivity

Reactivity: Chemical Under normal conditions of storage and use, hazardous reactions will not

Stability: occur. Stable under normal conditions.

Incompatible Materials :Alkaline materials, Ferric Chloride, Metallic powdersConditions to Avoid :High temperatures, open flames, sparks, welding.

Decomposition Products: HF Acid, HCI, Phosgene

Section 11 Toxicological Information

Primary Route of Entry: Skin contact, inhalation

Acute/Potential Health Effects:

EYES: May cause serious eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause skin irritation. Prolonged or repeated contact may dry the skin and cause sensitization. Symptoms mayinclude redness, burning, drying of skin and skin burns.

INHALATION: High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May causeheadaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death. May cause peripheral nervous system disorder and/or damage.

INGESTION: Harmful or fatal if swallowed.

Chronic / Long Term Effects: Long term overexposure may cause adverse effects in the liver, respiratory system,

kidney,reproductive system, and central nervous system.

Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Signs and Symptoms of Overexposure: Signs and symptoms of overexposure to this material through breathing, swallowing, and/or passage of material through the skin may include: stomach or intestinal upset (nausea vomiting, diarrhea) irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue,

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 4 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015

K-Chem 2002 Safety Solvent

nausea, headache, unconsciousness).

Target Organ Effects: Central nervous system, liver.

Reproductive/Developmental Information: May damage fertility or the unborn child. WARNING: This product

containschemical known to the State of California to cause adverse developmental/reproductive effects.

Carcinogenic Information: NTP Group R: reasonably anticipated to be human carcinogen; ACGIH Group A3: confirmed

animalcarcinogen with unknown relevance to humans; IARC - not listed.

Acute Toxicity Values:

Acute Toxicity: Oral route, LD50, rat, >5000 mg/kg; dermal route, LD50, rat, 2000

mg/kg. Inhalation, LC50, 4 hrs, rat, 301 mg/ltr.

Section 12 Ecological Information

LC50, Fathead minnow, 96 hr, 67 mg/l

Section 13 Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

Section 14 Transport Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 1950

Proper shipping name Aerosols, nonflammable

Class 2.2 Packing group

Section 15 Regulatory Information

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act)

N-Propyl Bromide

If identified components of this product are **CERCLA** hazardous substances and/or listed under **Sections 302, 304, or 313**

of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency

Planningand Community Right-To-Know Act), or under <u>California Proposition 65</u> (Safe Drinking Water and Toxic Enforcement

Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire () Pressure (X) Reactive () Not Applicable ()

T.S.C.A. Status: All chemical substances found in this product comply with the Toxic Substances Control Act inventory

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 5 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015

K-Chem 2002 Safety Solvent

reporting requirements.

<u>RCRA Status:</u>Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

None

Section 16 Other Information

HMIS Ratings:



Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/17/15

 Trade Name:
 K-Chem 2002 Safety Solvent
 SDS #:
 SO100A
 Page 6 of 6

 SDS ID:
 SDS00528
 Revision # 1
 Revision Date 05/17/2015